

P-W

Sierra Drilling Corp. State
SW/4-NE/4 Sec 16-Twp19N-R26E 121
Apache County

County Apache

Area _____

Lease No. State 2089

Well Name Sierra Drilling Corporation #4 State

Location SW NE Sec 16 Twp 19N- Range 26E Footage 1980 FNL, 1980 FEL
~~1980 ES & W~~

Elev. 5609 Gr KB Spud 7-8-60 Complete 9-8-60 Total 1016²
Depth 980

5690 R from USGS 7/2
Contractor: [unclear]

Approx. Cost \$ _____

Drilled by Rotary _____
Cable Tool X

Casing Size 8 5/8 Depth 100 Cement _____

Production Horizon _____

Initial Production _____ P & A

REMARKS:

TD 1016?
@ PI card
sp 16 to 1010

Elec. Logs _____
Applic to Plub X Plugging Record X Completion Report _____

Sample Log _____
Sample Descript _____
Sample Set P 594 (200-1010)
Cores _____

Water well - accepted by _____

Bond Co. & No. Ohio Farmers Insurance Company! 201-150


Bond Am't \$ 10,000 Cancelled 8-30-66 Date _____ Organization Report X

Filing Receipt 9230 dated 7-7-60 Well Book X Plat Book X

API # 02-001-60012 Loc. Plat X Dedication W/2 NE/4 16-19N-26E

PERMIT NO. 121 Date Issued 7-8-60

ARIZONA
APACHE CO.
PINTA DOME (D)



Twp 19n-26e
Section 16
C SW NE
1980 s/n 1980 w/e

OPR: Sierra Drilling

WELL #: 3 Santa Fe

ELEV: 5730 Gr

DSTS. & CORES:

SPUD: 8-30-60 COMPL: 9-8-60

*TOPS: Log-Smack

TD: 1016 PB:

Chinle 708

CSG: No Surface Csg.

Shinarump 828

PERF:

Moenkopi 846

PROD. ZONE:

Coconino 984


INIT. PROD: D & A

***Corr fee number from 2

Ariz 3-068280

*For Electric Logs on Rocky Mountain Wells—Ask Us!

ARIZONA
APACHE COUN
PINTA DOME (L)



Twp 19n-26e
Section 18
c sw ne
1980 s/n 1980 w/e

OPR: Sierra Drilling	WELL #: 2 Santa Fe		
ELEV: 5609 Gr	DSTS. & CORES: No cores or tests.	SPUD: 7-16-60	COMPL: 7-20-60
*TOPS: Log-Simplex		TD: 1036	PB:
Chinle 750		CSG: No csg run.	
Shinarump 820		PERF:	
Moenkopi 840		PROD. ZONE:	
Coconino 980		INIT. PROD:	
		D & A	

STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION
PHOENIX, ARIZONA

Form O & G 56

Form Prescribed Under Oil and Gas Conservation Act of 1951
ABANDONMENT AND PLUGGING RECORD

(Within thirty days after the plugging of any well has been accomplished, the owner or operator thereof shall file this form with the Commissioner, setting forth in detail the method used in plugging the well.)

PLUGGING METHODS AND PROCEDURE- - The methods and procedure for plugging a well shall be as follows: (a) The bottom of the hole shall be filled to, or a bridge shall be placed at, the top of each producing formation open to the well bore, and in either event a cement plug not less than fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.

(b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet below all fresh-water-bearing strata.

(c) A plug shall be placed at or near the surface of the ground in each hole.

(d) The interval between plugs shall be filled with heavy-mud-laden fluid.

(e) An uncased hole shall be plugged with heavy mud up to the base of the surface string, at which point a plug of not less than fifty (50) feet of cement shall be placed.

Operator Sierra Drilling Corp. Field Pinta Dome
Pool _____
County Apache
Address all correspondence concerning this form to: Sam Day
Street: 322 W. 2nd St. City: Scottsdale State: Arizona
Lease Name State _____ Well No. 4 Sec. 16 Twp. 19N Rge. 26E
Was the well plugged according to regulations of the Commissioner? yes
Set out method used in plugging well and record of casing pulled: _____
100' 8 5/8
cement plug 40 - 0
290 - 250
930 - 990

(AFFIDAVIT)

STATE OF ARIZONA _____
COUNTY OF MARICOPA

SIERRA DRILLING CORP.

By: Sam Day (Operator)

Before me, the undersigned authority, on this day personally appeared SAM DAY,
Pres. Sierra Drilling Corp. known to me to be the person whose name is subscribed to the
above instrument, who being by me duly sworn on oath states that he is authorized to make
this report and has knowledge of the facts stated herein and that said report is true and cor-
rect.

Subscribed and sworn to before me this the 26th day of May 19 62

Notary Public

My commission expires: May 20, 1963

STATE OF ARIZONA
OIL AND GAS CONSERVATION COMMISSION
FORM O&G 55

Form Prescribed Under Oil and Gas Conservation Act 1951
APPLICATION TO ABANDON, PLUG, DEEPEN, SIDETRACT OR PERFORATE
(After Well Has Once Been Completed)

INSTRUCTIONS: - - File in duplicate with Commissioner. One copy will be returned with approval or denial.

FIELD: Pinta Dome
 OPERATOR: Sierra Drilling Corp. ADDRESS 3428 E. Georgia St., Phoenix, Arizona
 LEASE: State WELL NO. 4 COUNTY Apache
 SURVEY: _____ SECTION _____ DRILLING PERMIT NO: _____
 LOCATION: Sec 16, T19N R26E

TYPE OF WELL: Dry Hole TOTAL DEPTH 990'
 (Oil, Gas or Dry Hole)

ALLOWABLE (If Assigned) -----
 LAST PRODUCTION TEST: OIL (Bbls.) Water Bbls.)
 GAS (M. C. F.) DATE OF TEST

PRODUCING HORIZON PRODUCING FROM: TO

1. COMPLETE CASING RECORD: _____
100' 8 5/8

2. FULL DETAILS OF PROPOSED PLAN OF WORK: _____
cement plug 40 - 0
290 - 250
990 - 990

If the well is to be deepened to another zone other than that covered by permit, this form shall be accompanied by a certified lease plat as is prescribed on Form No. O&G 51.

If the well is to be abandoned, does proposed work conform with requirements of Rule 26? yes. If not, outline procedure proposed above.

DATE COMMENCING OPERATIONS: Sept. 8, 1960
 NAME OF PARTY DOING WORK: Halliburton ADDRESS _____
 CORRESPONDENCE SHOULD BE SENT TO: Sam Day, above address

NAME: [Signature]
 TITLE: Pres

APPROVED: 7th DAY OF Sept. 19 60

DENIED: _____ DAY OF _____ 19 _____

[Signature]
OIL AND GAS COMMISSION

BY: _____

STATE LAND DEPARTMENT
STATE OF ARIZONA

Form OG 51

Form Prescribed Under Oil and Gas Conservation Act of 1951

NOTICE OF INTENTION TO DRILL NEW WELL

This notice and surety bond must be filed and permit must be granted before drilling begins

State Land Commissioner 7-7 Ariz. 1960

In compliance with Statewide Rule 3, notice is hereby given that it is our intention to commence the work of drilling well No. 4 Sec. 16, Twp. 19N, Rge. 20E B. & M., _____ Field, _____ County.

Legal description of lease SEE PLAT
(attach map or plat to scale)

Location of Well: 1910 F.M.L. 1970 P.B.L. Sec 16. T19N R20E
(Give exact footage from section corners or other

Proposed drilling depth 1200 feet. Acres in drilling unit 80
Has surety bond been filed? YES. Is location a regular or exception to spacing rule? REG.

Elevation of ground above sea level _____ feet.
All depth measurements taken from top of 5609 GL
(Derrick, floor, Rotary Table or _____ which is _____ feet above the ground.
(Kelly Bushing)

PROPOSED CASING PROGRAM

Size of Casing Inches A.P.I.	Weight	Grade & Type	Top	Bottom	Cementing Depths
<u>PROPOSED 100'</u>					

Intended Zone or Zones of completion:
Name _____ Perforated Interval _____

AFFIDAVIT:

I hereby certify under the penalty of perjury, that the information contained and statements herein made are to the best of my knowledge and belief, true, correct and complete.

SAM DAY D/O/A
SIERRA DRILLING CORP.
(Applicant)

By A. L. O'Neil


Application approved this 8th day of July 19 60

Permit No. 121
3-62 1/10/58

M. J. Wharton
State Land Commissioner

e/swhic

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



August 30, 1966

Ohio Farmers Insurance Group
3500 North Central Avenue
Phoenix, Arizona 85012

Attention: Mr. T.C. Bukowski, Claims Representative

Re: Sierra Drilling #1 State well
SW NE 2-19N-25E, Apache County, Arizona
Permit 120

Sierra Drilling #4 State well
SW NE 16-19N-26E, Apache County, Arizona
Permit 121

Sierra Drilling Corp. #3 State well
NW SE 30-20N-26E, Apache County, Arizona
Permit 122

Sierra Drilling #2 State well
NE SW 12-19N-26E, Apache County, Arizona
Permit 123

Sierra Drilling #1 Campbell Fee well
SW NW 23-20N-3W, Yavapai County, Arizona
Permit 133

Sierra Drilling Corp. #2 Campbell Fee well
SW NE 23-20N-3W, Yavapai County, Arizona
Permit 141

Gentlemen:

By telephone, you have informed this office as to your efforts to secure information to comply with the requirements of this Commission and you have forwarded copies of certain electrical logs.

Ohio Farmers Insurance Group
August 30, 1966
Page 1

This letter, then, constitutes authority from this Commission to
terminate your bond 201 150.

Your cooperation has been very much appreciated.

Very truly yours,

John Sannister
Executive Secretary
nr



SAMUEL P. GODDARD
GOVERNOR
LYNN LOCKHART
CHAIRMAN
R. KEITH WALDEN
VICE CHAIRMAN
ORME LEWIS
MEMBER
LUCIEN B. OWENS
MEMBER
GEORGE T. SILER
MEMBER

OFFICE OF
Oil and Gas Conservation Commission

STATE OF ARIZONA
ROOM 202
1624 WEST ADAMS
Phoenix, Arizona 85007
PHONE: 271-5161

JOHN BANNISTER
EXECUTIVE SECRETARY
J. R. SCURLOCK
PETROLEUM GEOLOGIST

October 25, 1965

Ohio Farmers Insurance Company
Leroy, Ohio

Re: Your Bond in the Amount of \$10,000
Issued July 7, 1960
Principal, Sierra Drilling Corporation

Sierra Drilling Corp #1 State well
SW/4NE/4 2-19N-25E, Apache County, Arizona
Permit 120

Sierra Drilling Corp #4 State well
SW/4NE/4 16-19N-26E, Apache County, Arizona
Permit 121

Sierra Drilling Corp. #3 State well
NW/4SE/4 30-20N-26E, Apache County, Arizona
Permit 122

Sierra Drilling Corp. #2 State well
NE/4SW/4 12-19N-26E, Apache County, Arizona
Permit 123

Sierra Drilling Corp. #1 Campbell Fee well
SW/4SW/4 23-20N-3W, Yavapai County, Arizona
Permit 133

Sierra Drilling Corp. #2 Campbell Fee well
SW/4NW/4 23-20N-3W, Yavapai County, Arizona
Permit 141

Gentlemen:

On October 15, 1965 we wrote Sierra Drilling Corporation at the address of record in our files, 4519 N. Scottsdale Road, Scottsdale, Arizona. Our letter was returned, marked "Unclaimed."

Captioned wells have all been plugged in accordance with

our Rules and Regulations. However, Well Completion Reports have not been filed with this office in compliance with the Rules and Regulations.

As soon as Well Completion Reports for all wells, and copies of any logs run on the wells drilled under Permits 123, 133, and 141, are received we may then terminate this bond.

It is requested that you take necessary steps to effect the submission of this required data. Your earliest cooperation will be appreciated.

Yours very truly,

John Bannister
Executive Secretary
mr
enc

October 15, 1965

Sierra Drilling Corporation
4519 N. Scottsdale Road
Scottsdale, Arizona

Re: Ohio Farmers Insurance Company Bond

Gentlemen:

As you are aware, the captioned bond in the amount of \$10,000 is on file with this Commission to cover bonding requirements of this Commission.

As a result of the public hearing held September 22, 1965 in Phoenix, Arizona, concerning the Rules and Regulations of this Commission, the bonding requirements have been increased to \$5,000 for a single well and to \$25,000 for a state-wide blanket bond.

As required by law, certified copy of the new Rules and Regulations was filed with the Secretary of State on October 1, 1965, and consequently the new Rules became effective on that date.

This letter is to request that at your earliest convenience you take the necessary steps to increase your state-wide bond to \$25,000. Upon receipt of your new bond your old bond of course may be released.

Your earliest cooperation will be appreciated.

Yours very truly,

John Bannister
Executive Secretary
nr